

**GENERAL SUMMARY**

Prepared for: Harris Health System BT Tower Outpatient Vascular/ Cardiology & Support Offices 1502 Ben Taub Loop  
Houston, TX 77030

Project ID: 12062024


Scope: Drywall (metal stud framing, Hang sheetrock, and tape and float) acoustic ceiling

No. Of Floors: 3

Date: 12-Jun-24



| Area Of Work GSF           |                      | 10,561            |                          |
|----------------------------|----------------------|-------------------|--------------------------|
| DIVISION NO                | DESCRIPTION          | TOTAL DIV. COST   | TOTAL DIV. COST (PER SF) |
| 1000                       | General Requirements | \$ 22,000         | \$ 2.08                  |
| 9000                       | Finishes             | \$ 225,703        | \$ 21.37                 |
| <b>TOTAL TRADE COST</b>    |                      | <b>\$ 247,703</b> | <b>\$ 23.45</b>          |
| <b>OVERHEAD AND PROFIT</b> |                      | <b>\$ 37,155</b>  | <b>\$ 3.52</b>           |
| INSURANCE                  | 15%                  | \$ 7,431          | \$ 0.70                  |
| CONTINGENCY                | 3%                   | \$ 12,385         | \$ 1.17                  |
| TAX                        | 5%                   | \$ 9,538          | \$ 1.93                  |
| <b>SUGGESTED BID</b>       |                      | <b>\$ 314,213</b> | <b>\$ 31</b>             |



**DETAILED BREAKDOWN OF ITEMS**

Prepared for: Harris Health System BT Tower Outpatient Vascular/ Cardiology & Support Offices 1502 Ben Taub Loop Houston, TX 77030  
 Project ID: 12062024  
 Scope: Drywall (metal stud framing, Hang sheetrock, and tape and float) acoustic ceiling



Date: 12-Jun-24

| SR #                        | Drawing # | Detail # | UNIT | QUANTIT Y | WASTAG E | QUANTITY W/WASTAGE | UNIT MANHOOUR | HOURLY WAGE | LABOR COST | MAT. COST | UNIT COST       | SUB COST         |
|-----------------------------|-----------|----------|------|-----------|----------|--------------------|---------------|-------------|------------|-----------|-----------------|------------------|
| <b>GENERAL REQUIREMENTS</b> |           |          |      |           |          |                    |               |             |            |           |                 |                  |
| 1                           |           |          | LS   | 1         | 0%       | 1                  | 0.000         | \$ -        | \$ -       | \$ -      | \$ -            | \$ -             |
| 2                           |           |          | LS   | 1         | 0%       | 1                  | 0.000         | \$ -        | \$ -       | \$ -      | \$ 10,000.00    | \$ 10,000.00     |
| 3                           |           |          | LS   | 1         | 0%       | 1                  | 0.000         | \$ -        | \$ -       | \$ -      | \$ -            | \$ -             |
| 4                           |           |          | LS   | 1         | 0%       | 1                  | 0.000         | \$ -        | \$ -       | \$ -      | \$ 1,800.00     | \$ 1,800.00      |
| 5                           |           |          | LS   | 1         | 0%       | 1                  | 0.000         | \$ -        | \$ -       | \$ -      | \$ 5,500.00     | \$ 5,500.00      |
| 6                           |           |          | LS   | 1         | 0%       | 1                  | 0.000         | \$ -        | \$ -       | \$ -      | \$ 3,500.00     | \$ 3,500.00      |
| 7                           |           |          | LS   | 1         | 0%       | 1                  | 0.000         | \$ -        | \$ -       | \$ -      | \$ 1,200.00     | \$ 1,200.00      |
|                             |           |          |      |           |          |                    |               |             |            |           | <b>SUBTOTAL</b> | <b>\$ 22,000</b> |

| <b>FINISHES</b> |           |          |      |           |              |                    |               |             |            |           |           |           |
|-----------------|-----------|----------|------|-----------|--------------|--------------------|---------------|-------------|------------|-----------|-----------|-----------|
| SR #            | Drawing # | Detail # | UNIT | QUANTIT Y | WASTAG E     | QUANTITY W/WASTAGE | UNIT MANHOOUR | HOURLY WAGE | LABOR COST | MAT. COST | UNIT COST | SUB COST  |
|                 |           |          |      | <b>SF</b> | <b>17966</b> |                    | <b>823</b>    |             |            |           |           |           |
| 8               |           |          | SF   | 17966     | 10%          | 19763              |               |             |            |           |           |           |
| 9               |           |          | EA   | 618       | 0%           | 618                | 0.280         | \$ 42.00    | \$ 15.00   | \$ 17.84  | \$ 32.84  | \$ 20,295 |
| 10              |           |          | LF   | 8983      | 10%          | 9881               | 0.008         | \$ 42.00    | \$ 0.34    | \$ 0.10   | \$ 0.44   | \$ 4,308  |
| 11              |           |          | LBs  | 934       | 10%          | 1028               | 0.285         | \$ 42.00    | \$ 11.97   | \$ 3.25   | \$ 15.22  | \$ 15,641 |
| 12              |           |          | EA   | 29664     | 0%           | 29664              | 0.000         | \$ 42.00    | \$ -       | \$ 0.05   | \$ 0.05   | \$ 1,483  |
| 13              |           |          | SF   | 630       | 10%          | 693                |               |             |            |           |           |           |
| 14              |           |          | EA   | 22        | 0%           | 22                 | 0.280         | \$ 42.00    | \$ 15.00   | \$ 20.32  | \$ 35.32  | \$ 777    |
| 15              |           |          | LF   | 315       | 10%          | 347                | 0.008         | \$ 42.00    | \$ 0.34    | \$ 0.10   | \$ 0.44   | \$ 151    |
| 16              |           |          | LBs  | 33        | 10%          | 36                 | 0.285         | \$ 42.00    | \$ 11.97   | \$ 3.25   | \$ 15.22  | \$ 548    |
| 17              |           |          | EA   | 1056      | 0%           | 1056               | 0.000         | \$ 42.00    | \$ -       | \$ 0.05   | \$ 0.05   | \$ 53     |
| 18              |           |          | EA   | 619       | 0%           | 619                | 0.231         | \$ 42.00    | \$ 9.71    | \$ 20.05  | \$ 29.76  | \$ 18,418 |
| 19              |           |          | EA   | 165       | 0%           | 165                | 0.180         | \$ 42.00    | \$ 7.56    | \$ 15.60  | \$ 23.16  | \$ 3,812  |
| 20              |           |          | SF   | 10559     | 10%          | 11615              | 0.012         | \$ 42.00    | \$ 0.50    | \$ 0.98   | \$ 1.48   | \$ 17,237 |
| 21              |           |          | EA   | 1238      | 0%           | 1238               | 0.120         | \$ 42.00    | \$ 5.04    | \$ 0.84   | \$ 5.88   | \$ 7,277  |
| 22              |           |          | LF   | 3292      | 10%          | 3621               | 0.010         | \$ 42.00    | \$ 0.42    | \$ 0.40   | \$ 0.82   | \$ 2,969  |
|                 |           |          |      | <b>SF</b> | <b>244</b>   |                    | <b>19</b>     |             |            |           |           |           |
| 23              |           |          | SF   | 244       | 10%          | 268                |               |             |            |           |           |           |
| 24              |           |          | EA   | 9         | 0%           | 9                  | 0.280         | \$ 42.00    | \$ 15.00   | \$ 17.84  | \$ 32.84  | \$ 296    |
| 25              |           |          | LF   | 122       | 10%          | 134                | 0.008         | \$ 42.00    | \$ 0.34    | \$ 0.10   | \$ 0.44   | \$ 58     |
| 26              |           |          | LBs  | 13        | 10%          | 14                 | 0.285         | \$ 42.00    | \$ 11.97   | \$ 3.25   | \$ 15.22  | \$ 212    |
| 27              |           |          | EA   | 432       | 0%           | 432                | 0.000         | \$ 42.00    | \$ -       | \$ 0.05   | \$ 0.05   | \$ 22     |
| 28              |           |          | SF   | 244       | 10%          | 268                |               |             |            |           |           |           |
| 29              |           |          | EA   | 9         | 0%           | 9                  | 0.280         | \$ 42.00    | \$ 15.00   | \$ 20.32  | \$ 35.32  | \$ 318    |
| 30              |           |          | LF   | 122       | 10%          | 134                | 0.008         | \$ 42.00    | \$ 0.34    | \$ 0.10   | \$ 0.44   | \$ 58     |
| 31              |           |          | LBs  | 13        | 10%          | 14                 | 0.285         | \$ 42.00    | \$ 11.97   | \$ 3.25   | \$ 15.22  | \$ 212    |
| 32              |           |          | EA   | 432       | 0%           | 432                | 0.000         | \$ 42.00    | \$ -       | \$ 0.05   | \$ 0.05   | \$ 22     |
| 33              |           |          | EA   | 29        | 0%           | 29                 | 0.231         | \$ 42.00    | \$ 9.71    | \$ 20.05  | \$ 29.76  | \$ 850    |
| 34              |           |          | EA   | 6         | 0%           | 6                  | 0.180         | \$ 42.00    | \$ 7.56    | \$ 15.60  | \$ 23.16  | \$ 141    |
| 35              |           |          | EA   | 8         | 0%           | 8                  | 0.180         | \$ 42.00    | \$ 7.56    | \$ 15.60  | \$ 23.16  | \$ 176    |
| 36              |           |          | SF   | 244       | 10%          | 268                | 0.012         | \$ 42.00    | \$ 0.50    | \$ 0.98   | \$ 1.48   | \$ 398    |
| 37              |           |          | EA   | 29        | 0%           | 29                 | 0.120         | \$ 42.00    | \$ 5.04    | \$ 0.84   | \$ 5.88   | \$ 168    |
| 38              |           |          | LF   | 76        | 10%          | 84                 | 0.010         | \$ 42.00    | \$ 0.42    | \$ 0.40   | \$ 0.82   | \$ 69     |
|                 |           |          |      | <b>SF</b> | <b>1767</b>  |                    | <b>186</b>    |             |            |           |           |           |
| 39              |           |          | SF   | 3382      | 10%          | 3720               |               |             |            |           |           |           |
| 40              |           |          | EA   | 117       | 0%           | 117                | 0.280         | \$ 42.00    | \$ 15.00   | \$ 17.84  | \$ 32.84  | \$ 3,842  |
| 41              |           |          | LF   | 1691      | 10%          | 1860               | 0.008         | \$ 42.00    | \$ 0.34    | \$ 0.10   | \$ 0.44   | \$ 811    |
| 42              |           |          | LBs  | 176       | 10%          | 193                | 0.285         | \$ 42.00    | \$ 11.97   | \$ 3.25   | \$ 15.22  | \$ 2,944  |
| 43              |           |          | EA   | 5616      | 0%           | 5616               | 0.000         | \$ 42.00    | \$ -       | \$ 0.05   | \$ 0.05   | \$ 281    |
| 44              |           |          | SF   | 152       | 10%          | 167                |               |             |            |           |           |           |
| 45              |           |          | EA   | 6         | 0%           | 6                  | 0.280         | \$ 42.00    | \$ 15.00   | \$ 20.32  | \$ 35.32  | \$ 212    |
| 46              |           |          | LF   | 76        | 10%          | 84                 | 0.008         | \$ 42.00    | \$ 0.34    | \$ 0.10   | \$ 0.44   | \$ 36     |
| 47              |           |          | LBs  | 8         | 10%          | 9                  | 0.285         | \$ 42.00    | \$ 11.97   | \$ 3.25   | \$ 15.22  | \$ 132    |
| 48              |           |          | EA   | 288       | 0%           | 288                | 0.000         | \$ 42.00    | \$ -       | \$ 0.05   | \$ 0.05   | \$ 14     |
| 49              |           |          | EA   | 140       | 0%           | 140                | 0.231         | \$ 42.00    | \$ 9.71    | \$ 20.05  | \$ 29.76  | \$ 4,163  |
| 50              |           |          | EA   | 37        | 0%           | 37                 | 0.180         | \$ 42.00    | \$ 7.56    | \$ 15.60  | \$ 23.16  | \$ 862    |
| 51              |           |          | SF   | 2386      | 10%          | 2625               | 0.012         | \$ 42.00    | \$ 0.50    | \$ 0.98   | \$ 1.48   | \$ 3,896  |
| 52              |           |          | EA   | 280       | 0%           | 280                | 0.120         | \$ 42.00    | \$ 5.04    | \$ 0.84   | \$ 5.88   | \$ 1,645  |
| 53              |           |          | LF   | 744       | 10%          | 818                | 0.010         | \$ 42.00    | \$ 0.42    | \$ 0.40   | \$ 0.82   | \$ 671    |
|                 |           |          |      | <b>SF</b> | <b>57</b>    |                    | <b>6</b>      |             |            |           |           |           |
| 54              |           |          | SF   | 48        | 10%          | 52                 |               |             |            |           |           |           |
| 55              |           |          | EA   | 2         | 0%           | 2                  | 0.280         | \$ 42.00    | \$ 15.00   | \$ 17.84  | \$ 32.84  | \$ 66     |
| 56              |           |          | LF   | 24        | 10%          | 26                 | 0.008         | \$ 42.00    | \$ 0.34    | \$ 0.10   | \$ 0.44   | \$ 11     |
| 57              |           |          | LBs  | 2         | 10%          | 3                  | 0.285         | \$ 42.00    | \$ 11.97   | \$ 3.25   | \$ 15.22  | \$ 41     |
| 58              |           |          | EA   | 96        | 0%           | 96                 | 0.000         | \$ 42.00    | \$ -       | \$ 0.05   | \$ 0.05   | \$ 5      |

| Labor Cost   | Mat. Cost    |
|--------------|--------------|
| \$ -         | \$ -         |
| \$ -         | \$ -         |
| \$ -         | \$ -         |
| \$ -         | \$ -         |
| \$ 9,270.00  | \$ 11,025.12 |
| \$ 3,320.13  | \$ 988.13    |
| \$ 12,301.09 | \$ 3,339.90  |
| \$ -         | \$ 1,483.20  |
| \$ -         | \$ -         |
| \$ 330.00    | \$ 447.04    |
| \$ 116.42    | \$ 34.65     |
| \$ 431.35    | \$ 117.12    |
| \$ -         | \$ 52.80     |
| \$ 6,011.37  | \$ 12,406.88 |
| \$ 1,244.38  | \$ 2,567.76  |
| \$ 5,853.96  | \$ 11,382.70 |
| \$ 6,237.47  | \$ 1,039.58  |
| \$ 1,520.90  | \$ 1,448.48  |
| \$ -         | \$ -         |
| \$ -         | \$ -         |
| \$ -         | \$ -         |
| \$ -         | \$ -         |
| \$ 135.00    | \$ 160.56    |
| \$ 45.05     | \$ 13.41     |
| \$ 166.91    | \$ 45.32     |
| \$ -         | \$ 21.60     |
| \$ -         | \$ -         |
| \$ 135.00    | \$ 182.88    |
| \$ 45.05     | \$ 13.41     |
| \$ 166.91    | \$ 45.32     |
| \$ -         | \$ 21.60     |
| \$ 277.56    | \$ 572.86    |
| \$ 46.07     | \$ 95.07     |
| \$ 57.46     | \$ 118.56    |
| \$ 135.15    | \$ 262.78    |
| \$ 144.00    | \$ 24.00     |
| \$ 35.11     | \$ 33.44     |
| \$ -         | \$ -         |
| \$ -         | \$ -         |
| \$ -         | \$ -         |
| \$ 1,755.00  | \$ 2,087.28  |
| \$ 624.99    | \$ 186.01    |
| \$ 2,315.60  | \$ 628.71    |
| \$ -         | \$ 280.80    |
| \$ -         | \$ -         |
| \$ 90.00     | \$ 121.92    |
| \$ 28.09     | \$ 8.36      |
| \$ 104.07    | \$ 28.26     |
| \$ -         | \$ 14.40     |
| \$ 1,358.58  | \$ 2,803.98  |
| \$ 281.23    | \$ 580.32    |
| \$ 1,323.01  | \$ 2,572.52  |
| \$ 1,409.68  | \$ 234.95    |
| \$ 343.73    | \$ 327.36    |
| \$ -         | \$ -         |
| \$ -         | \$ -         |
| \$ -         | \$ -         |
| \$ 30.00     | \$ 35.68     |
| \$ 8.78      | \$ 2.61      |
| \$ 32.52     | \$ 8.83      |
| \$ -         | \$ 4.80      |



|                 |    |      |     |      |       |          |         |          |          |                   |
|-----------------|----|------|-----|------|-------|----------|---------|----------|----------|-------------------|
| 133             |    |      |     |      |       |          |         |          |          |                   |
| 134             | SF | 8232 | 10% | 9055 |       |          |         |          |          |                   |
|                 | EA | 2264 | 0%  | 2264 | 0.192 | \$ 42.00 | \$ 8.06 | \$ 12.96 | \$ 21.02 | \$ 47,592         |
|                 |    |      |     |      |       |          |         |          |          |                   |
| 135             | EA | 33   | 0%  | 33   | 0.200 | \$ 42.00 | \$ 8.40 | \$ 16.80 | \$ 25.20 | \$ 829            |
| 136             | EA | 13   | 0%  | 13   | 0.100 | \$ 42.00 | \$ 4.20 | \$ 5.25  | \$ 9.45  | \$ 124            |
|                 |    |      |     |      |       |          |         |          |          |                   |
| 137             | EA | 412  | 0%  | 412  | 0.100 | \$ 42.00 | \$ 4.20 | \$ 6.47  | \$ 10.67 | \$ 4,392          |
| 138             | EA | 2058 | 0%  | 2058 | 0.055 | \$ 42.00 | \$ 2.31 | \$ 3.56  | \$ 5.87  | \$ 12,080         |
| 139             | EA | 8232 | 0%  | 8232 | 0.035 | \$ 42.00 | \$ 1.47 | \$ 0.38  | \$ 1.85  | \$ 15,229         |
| 140             | EA | 98   | 0%  | 98   | 0.000 | \$ 42.00 | \$ -    | \$ 0.05  | \$ 0.05  | \$ 5              |
| 141             | EA | 8232 | 0%  | 8232 | 0.010 | \$ 42.00 | \$ 0.42 | \$ 0.04  | \$ 0.46  | \$ 3,787          |
| <b>SUBTOTAL</b> |    |      |     |      |       |          |         |          |          | <b>\$ 225,703</b> |

|                       |       |                  |
|-----------------------|-------|------------------|
| <b>PROJECTED COST</b> |       | <b>\$247,703</b> |
| OVERHEAD AND PROFIT   | 15%   | \$37,155         |
| INSURANCE             | 3%    | \$7,431          |
| CONTINGENCY           | 5%    | \$12,385         |
| TAX                   | 8.25% | \$9,538          |
| <b>SUGGESTED BID</b>  |       | <b>\$314,213</b> |

|                      |                      |
|----------------------|----------------------|
| \$ -                 | \$ -                 |
| \$ -                 | \$ -                 |
| \$ 18,254.53         | \$ 29,337.64         |
| \$ -                 | \$ -                 |
| \$ 276.36            | \$ 552.72            |
| \$ 55.02             | \$ 68.78             |
| \$ -                 | \$ -                 |
| \$ 1,728.72          | \$ 2,663.05          |
| \$ 4,753.98          | \$ 7,326.48          |
| \$ 12,101.04         | \$ 3,128.16          |
| \$ -                 | \$ 4.92              |
| \$ 3,457.44          | \$ 329.28            |
| <b>\$ 110,085.31</b> | <b>\$ 115,617.90</b> |

**DETAILED BREAKDOWN OF ITEMS**

Prepared for: **Harris Health System BT Tower Outpatient Vascular/ Cardiology & Support Offices 1502 Ben Taub Loop Houston, TX 77030**  
 Project ID: **12062024**  
 Scope: **Drywall (metal stud framing, Hang sheetrock, and tape and float) acoustic ceiling**



Date:

| SR #                       | Drawing #              | Detail #             | DESCRIPTION  | UNIT       | QUANTITY | WASTAGE | QUANTITY W/<br>WASTAGE |  |  |
|----------------------------|------------------------|----------------------|--|------------|----------|---------|------------------------|--|--|
| <b>FINISHES</b>            |                        |                      |  |            |          |         |                        |  |  |
| <b>DRY WALL ASSEMBLIES</b> |                        |                      |  |            |          |         |                        |  |  |
| 1                          |                        |                      | 5/8" Gypsum Wall Board   | SF         | 24341    | 10%     | 26775                  |  |  |
| 2                          |                        |                      | No of Sheets (4'x8')   | EA         | 837      | 0%      | 837                    |  |  |
| 3                          |                        |                      |  |            |          |         |                        |  |  |
| 4                          |                        |                      | 5/8" Moisture Resistant Gypsum Wall Board  | SF         | 1168     | 10%     | 1285                   |  |  |
| 5                          |                        |                      | No of Sheets (4'x8')   | EA         | 41       | 0%      | 41                     |  |  |
| 6                          |                        |                      |  |            |          |         |                        |  |  |
| 7                          |                        |                      | Tapping (500 LF Roll)  | Roll       | 26       | 0%      | 26                     |  |  |
| 8                          |                        |                      | Mudding (3.5 Gallon Box)   | Gallon     | 31       | 0%      | 31                     |  |  |
| 9                          |                        |                      | Screws   | EA         | 42144    | 0%      | 42144                  |  |  |
| 4                          |                        |                      |  |            |          |         |                        |  |  |
| 5                          |                        |                      | 3- 5/8" Metal Studs @ 16" O.C (12'-10" H)  | EA         | 795      | 0%      | 795                    |  |  |
| 5                          |                        |                      | 3- 5/8" Metal Studs @ 16" O.C (9'-6" H)  | EA         | 32       | 0%      | 32                     |  |  |
| 6                          |                        |                      | 3- 5/8" Metal Studs @ 16" O.C (3'-10" H)   | EA         | 255      | 0%      | 255                    |  |  |
| 10                         |                        |                      | 2- 1/2" Metal Studs @ 16" O.C (9'-6" H)  | EA         | 154      | 0%      | 154                    |  |  |
| 11                         |                        |                      | 1- 5/8" Metal Studs @ 16" O.C (9'-6" H)  | EA         | 1        | 0%      | 1                      |  |  |
| 7                          |                        |                      |  |            |          |         |                        |  |  |
| 12                         |                        |                      | 3- 5/8" Metal Runner @ Top & Bottom (10'-0" L)   | EA         | 288      | 0%      | 288                    |  |  |
| 13                         |                        |                      | 2- 1/2" Metal Runner @ Top & Bottom (10'-0" L)   | EA         | 41       | 0%      | 41                     |  |  |
| 14                         |                        |                      | 1- 5/8" Metal Runner @ Top & Bottom (10'-0" L)   | EA         | 0.20     | 0%      | 0                      |  |  |
| 7                          |                        |                      |  |            |          |         |                        |  |  |
| 8                          |                        |                      | 3- 5/8" Metal Bracing Studs @ 48" O.C (10'-0" L)   | EA         | 18       | 0%      | 18                     |  |  |
| 9                          |                        |                      | 2- 1/2" Metal Bracing Studs @ 48" O.C (10'-0" L)   | EA         | 49       | 0%      | 49                     |  |  |
| 15                         |                        |                      | 1- 5/8" Metal Bracing Studs @ 48" O.C (10'-0" L)   | EA         | 0.24     | 0%      | 0                      |  |  |
| 16                         |                        |                      | 1- 5/8" Metal Bracing Studs @ 48" O.C (4'-3" L)  | EA         | 85       | 0%      | 85                     |  |  |
| 8                          |                        |                      |  |            |          |         |                        |  |  |
| 17                         |                        |                      | Acoustic Sealant<br>-OSI SC-175 - 28 fl.oz White Mild Acrylic Caulk Single Cartridge<br><i>Note: 1 Cartridge Covers 86 LF of 1/4" Bead Depth</i> | Cartridges | 62       | 0%      | 62                     |  |  |
| 18                         |                        |                      | Sound Attenuation Batts Insulation<br><i>Note: Size of 1 Batt is 24" x 96"</i>   | Batts      | 833      | 0%      | 833                    |  |  |
| 10                         |                        |                      |  |            |          |         |                        |  |  |
| 11                         |                        |                      | Sab - Retainer Support Strap @ 12'-10" H   | EA         | 1562     | 0%      | 1562                   |  |  |
| 12                         |                        |                      |  |            |          |         |                        |  |  |
| <b>CEILING</b>             |                        |                      |  |            |          |         |                        |  |  |
| <b>GWB CEILING</b>         |                        |                      |  |            |          |         |                        |  |  |
| 9                          | A100-A151              | A400/Finish Schedule | 5/8" Gypsum Board Ceiling  | SF         | 1279     | 10%     | 1407                   |  |  |
| 19                         |                        |                      | No of Sheets (4'x8')   | EA         | 44       | 0%      | 44                     |  |  |
| 20                         |                        |                      |  |            |          |         |                        |  |  |
| 13                         |                        |                      | 2- 1/2" Ceiling Framing @ 16" O.C (10'-0 L)  | EA         | 93       | 0%      | 93                     |  |  |
| 14                         |                        |                      | 3- 5/8" Ceiling Framing @ 16" O.C (10'-0 L)  | EA         | 4        | 0%      | 4                      |  |  |
| <b>ACT CEILING</b>         |                        |                      |  |            |          |         |                        |  |  |
| 15                         | A100-A151              | A400/Finish Schedule | 24"x24" ACT Ceiling  | SF         | 8232     | 10%     | 9055                   |  |  |
| 21                         |                        |                      | No Of Ceiling Tiles  | EA         | 2264     | 0%      | 2264                   |  |  |
| <b>MISC.</b>               |                        |                      |  |            |          |         |                        |  |  |
| 10                         |                        |                      | (22 GA.) 2"x2" Cont. Metal Angle (10'-0" L)  | EA         | 33       | 0%      | 33                     |  |  |
| 22                         |                        |                      | Extruded Aluminum Edge Molding (10'-0" L)  | EA         | 13       | 0%      | 13                     |  |  |
| 23                         |                        |                      | Main Runner (10' L)  | EA         | 412      | 0%      | 412                    |  |  |
| 16                         |                        |                      | Cross Ties   | EA         | 2058     | 0%      | 2058                   |  |  |
| 17                         |                        |                      | Hanger Wire 3'-6" H  | EA         | 8232     | 0%      | 8232                   |  |  |
| 18                         | Screws                 | EA                   | 98   | 0%         | 98       |         |                        |  |  |
| 24                         | Field Staple @ 12" O.C | EA                   | 8232   | 0%         | 8232     |         |                        |  |  |